NEW EQUIPMENT & CONSTRUCTION 2023 Compressed Air Incentive



APPLICATION INSTRUCTIONS

Fill out Steps 1-3 and submit to your utility provider. Do not sign Steps 5-6 until instructed by your utility provider.

| STEP 1 CUSTOMER INFORMATION | | | | | | |
|--|-------------------------------|---------------------|-----------|--|--|--|
| Select your utility company: Deversource Deversource NH Elect | stric Co-op 🛛 Unitil | Date: | | | | |
| Electric Account #: | Natural Gas Account #: | | | | | |
| Company Name: | Contact Person: | | | | | |
| Phone Number: | Contact Email: | | | | | |
| Installation Address: | City: | State: | Zip: | | | |
| Mailing Address: | City: | State: | Zip: | | | |
| STEP 2 CONTRACTOR INFORMATION (if self-installed leave l | blank) | | | | | |
| Contractor Company (if applicable): | Contact Person: | | | | | |
| Mailing Address: | City: | State: | Zip: | | | |
| Contact Phone: | Contact Email: | | | | | |
| STEP 3 PAYEE INFORMATION | | | | | | |
| Check Payable to: Customer Contractor Other | Payment To: | | | | | |
| Mailing Address: | City: | State: | Zip: | | | |
| LIBERTY CUSTOMERS ONLY – Signature (for payment to Contractor, | Other): | | | | | |
| STEP 4 RETURN APPLICATION TO UTILITY REPRESENTATI | VE | | | | | |
| Send to your utility representative or email to your utility here: | | | | | | |
| Eversource: efficiencynh@eversource.com | Liberty: nhsaves@libertyut | ilities.com | | | | |
| New Hampshire Electric Co-op: solutions@nhec.com | Unitil: efficiency@unitil.com | | | | | |
| STEP 5 PRE APPROVAL OFFER | | | | | | |
| STOP Once you have received Utility Pre-approval notification, sign and Program Terms and Conditions. | below accepting incentive of | offer, payment arra | ingement, | | | |
| Utility Signature: | Date: | | | | | |
| Amount Of Incentive: | Valid Through: | | | | | |
| CUSTOMER SIGNATURE: | Date: | | | | | |
| STEP 6 PROJECT COMPLETION | | | | | | |

STOP Sign below to indicate that project is completed. Send final signed application to Utility. Final Incentive calculated based on 'as-installed' conditions.

| Utility Signature: | Date: |
|---------------------|-------------------------|
| CUSTOMER SIGNATURE: | Date: |
| Final Project Cost: | Final Incentive Amount: |

Powered by:









COMPRESSED AIR MEASURE INFORMATION

| Table 1: Air Compressor Incentives | | | | | | | |
|------------------------------------|---------------------------------|--|--|--|--|--|--|
| Horespower | Incentive per HP Variable Speed | | | | | | |
| = or>15 hp and <25 hp | \$200/hp | | | | | | |
| = or>25 hp and <50 hp | \$150/hp | | | | | | |
| =or>50 hp and <75 hp | \$100/hp | | | | | | |

 Table 2: Refrigerated Dryer Incentives

 Incentive per CFM Cycling & VSD Dryers
 \$5.25

Table 3: Storage Incentives Incentive per Gallon

| Table 4: Zero-Loss Condensate Drain Incentives | | | | | | | | |
|--|---------------------------|--|--|--|--|--|--|--|
| Incentive per Drain (limit 3 per facility) | \$125 | | | | | | | |
| | | | | | | | | |
| Table 5: Low Pressure Drop Filter Incentives | | | | | | | | |
| Table 5: Low Pressure Drop Filter In | centives | | | | | | | |
| Table 5: Low Pressure Drop Filter In Incentive per Filter (limit 3 per facility) | centives \$0.80 / scfm | | | | | | | |

| Table 6: Engineered Air Nozzles | | | | | | | |
|------------------------------------|-----------|--|--|--|--|--|--|
| Incentive per Nozzle: 1/8" or 1/4" | \$20 / ea | | | | | | |
| | | | | | | | |

| Table 7: Compressed Air System Incentive Calculations | | | | | | | | | | | | |
|---|-------------------|------------------|-------------------------------------|----------------------------------|-----------------------------------|------------------------------|-------------------------------|-----------------------------------|-----|-----|-----|-------|
| Air Compressor Description (Manufacturer & Model) | Rated HP & CFM | Operating PSI | Storage Requirement (Gallons) | Existing Storage (Gallons) | New Added Storage (Gallons) | Annual Operating Hours | Incentive Dollar Per HP | Requested Incentive Dollars | | | | |
| Example: ABC Company | 50 HP | 110 | 110 | 440 | 240 | 240 | 2.000 | | | | | |
| VSD 50 HP Model: #123 | 220 cfm | | | 110 | 110 | 110 | 110 | 110 | 440 | 240 | 240 | 2,000 |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

\$2.75

| Table 8: Refrigerated Dryer Incentive Calculations | | | | | | | | | | |
|--|---|--|--|--|--|-----------------------------|-----------------------------------|--|--|--|
| Refrigerated Dryer Manufacturer | Refrigerated Dryer Manufacturer Model Number Cycling or VSD | | | | | Incentive Dollar per CFM | Requested Incentive Dollars | | | |
| | | | | | | \$5.25 | | | | |

| Table 9: Compressor Storage Incentive Calculations | | | | | | | | | | |
|--|------------------------------------|------------------------------------|---|------------------------------------|-------------------------|-----------------------------------|--|--|--|--|
| Air Compressor CFM | (A) Required Storage in Gallons | (B) Existing Storage in Gallons | (C) = (A-B) Additional Storage Requirement in Gallons | New Added Storage in Gallons | Incentive per Gallon | Requested Incentive Dollars | | | | |
| | | | | | \$2.75 | | | | | |

| Table 10: Zero-Loss Condensate Drain Incentive Calculations | | | | | | | | | | |
|---|---------------------------|---------------|-----------------------------------|---------------------------------|------------------------|-----------------------------------|--|--|--|--|
| Manufacturer | Annual Operating Hours | Operating PSI | Inlet/Outlet Connection (inch) | Quantity of Installed Drains | Incentive per Drain | Requested Incentive Dollars | | | | |
| | | | | | \$125.00 | | | | | |

| Table 11: Low Pressure Drop Filter Incentive Calculations | | | | | | | | | | |
|---|---------------------------|-------------------------|------------------------|----------------------------------|-----------------------|-----------------------|-----------------------------------|--|--|--|
| Manufacturer | Annual Operating Hours | Existing Systems PSI | Proposed System PSI | Quantity of Installed Filters | Filter Size (scfm) | Incentive per scfm | Requested Incentive Dollars | | | |
| | | | | | | \$0.80 | | | | |

| Table 12: Engineered Nozzle Calculations | | | | | | | | | | |
|--|--|--|--|--|--|--|---------|--|--|--|
| Manufacturer | Manufacturer Quantity Type (1/8", 1/4") Annual Operating Hours Operating PSI SCFM Existing SCFM Proposed Incentive per Nozzle | | | | | | | | | |
| | | | | | | | \$20.00 | | | |
| TOTAL REQUESTED INCENTIVE | | | | | | | | | | |

COMPRESSED AIR SURVEY DOCUMENT

The following information is to be completed by the equipment vendor in coordination with the customer. Please describe the major components of our existing facility compressor and compressed air system.

| Existing Compressor (Manufacturer & Model) | Rated HP & CFM | Operating PSI | Control Type* | Existing Primary Storage (Gallons) | Operating Hours/Wk | Compressor Loading (% Rated CFM) | Original Install Date | Status After New Install** |
|---|-------------------|------------------|------------------|--|-----------------------|--|--------------------------|-------------------------------|
| Example: XYZ Company | 50 HP | 110 | b.t. d | 400 | 00 | 10hr @90% | 4000 | Descend |
| Model: #ABCDEF | 220 cfm | 110 | Mod | 100 | 90 | 30hr @30% 50hr @60% | 1998 | Removed |
| 1. | HP | | | | | | | |
| | cfm | | | | | | | |
| 2. | | | | | | | | |
| | | | | | | | | |
| 3. | | | | | | | | |
| | | | | | | | | |

*Modulating (Mod), Load/No-Load (L/NL), Variable Speed Drive (VSD), Variable Displacement (VD)

| **Removed; | Backup: | Lead/L | .ad |
|--------------|---------|---------|-----|
| 11011101000, | Baonap, | Load, L | -~g |

Note: When installing a new compressor and the existing compressor becomes lead or lag, the project will not qualify for an incentive as it will not be a single compressor system.

COMPRESSED AIR SYSTEM OPERATIONAL ISSUES

| How many shifts | and how does production vary? | | |
|---|--|---------------------------|--|
| What is the current system pressure at t | he furthest point from the compressor? | psi | |
| What is the minimum pressure required | for proper equipment operation? | _ psi | |
| Any significnat operational problems | | | |
| Inadequate pressure Inadequate pressure | D No | | |
| • Moisture or air quality | | | |
| Production problemsW due to pres | | | |
| Other | | | |
| Compressor Cooling Medium (air or wat | ter) | | |
| Number of Condensate Drains | Туре | Timer Style Drain Setting | |
| | | | |
| Dryer Type: | | | |
| Desiccant Refrigerant | □ None | | |
| Dryer Capacity (CFM) | | | |
| How many gallons of storage listed above are from tank mounted compressors? | | | |
| Date of Last Leak Survey if Any | | | |
| | | | |
| Would you like additional compressed air efficiency services? • Compressed Air Challenge technical Training I Yes I No | | | |
| Technical assistance with a more complex compressed air project Yes I No Leak assessment assistance Yes I No | | | |

For Compressed Air Challenge technical and training information, please visit: www.compressedairchallenge.org

Compressed Air New Equipment & Construction



Instructions for completing the Compressed Air Measure Information worksheet

General Notes:

- 1. A vendor proposal is required for an Incentive and must include the Compressed Air Survey Document found on page three in these instructions.
- 2. The applicable compressed air incentive section must be completed on page 2 and the Incentive must be approved prior to purchasing and installing the equipment.
- 3. Compressors under 15 HP are not eligible for Incentives.
- 4. Compressors over 75 HP are not eligible for a prescriptive Incentive but may be eligible for a Custom Incentive.
- 5. Invoices will be required for payment of Incentives.
- 6. The Incentive, in conjunction with all other sources of funding, cannot exceed the total project cost.

Eligibility Requirements:

To be eligible for incentives, the equipment must meet the following requirements:

COMPRESSORS

- Nameplate horsepower of compressors must be equal to or greater than 15 HP and less than or equal to 75HP. Compressors with manufacturers ratings only in kilowatts will be assumed to have horsepower ratings equal to Compressor kW rating (motor only) / 0.746.
- 2. Existing compressor being replaced must use modulating control. Compressors with other control methods must use the Custom Incentive process.
- 3. Prescriptive Incentives are only applicable to single compressor systems. Multiple compressor systems of any size that serve a common distribution system may submit applications as a Custom Incentive. Projects that have multiple and comprehensive measures shall be processed as a Custom Incentive.
- 4. Prescriptive Incentives are only applicable to compressors with an operating pressure of 145 psi or below. Compressors with higher operating pressures shall be processed as a Custom Incentive.
- 5. Prescriptive Incentives are only applicable to oil flooded Rotary Screw Compressors. Other compressor types may be eligible for an Incentive as a Custom Incentive project.
- 6. Compressor control shall be Variable Speed Drive (VSD).
- 7. Compressors must operate a minimum of 2000 hours a year.
- 8. Air compressors with VSDs must have as a minimum a 3% impedance series reactor in its AC power input connection.

STORAGE

- 1. Primary storage is required on all compressors receiving incentives.
- 2. Incentives are only available for air storage tank(s) in association with new compressor equipment installations.

Post-Installation:

Utility Representative must verify that:

- 1. The single compressor has been installed and operating as follows:
 - a. System operating pressure _____ psi
 - b. Original primary storage capacity _____ gallons
 - c. Additional primary storage capacity _____ gallons
 - d. Total primary storage capacity _____ gallons
 - e. Final gallons per compressor CFM
 - f. Verify compressor manufacturer, compressor model, horsepower, and rated CFM
- 2. The compressor matches the Compressed Air Measure Information. If the equipment has changed from what was approved for the initial Incentive offer, the substituted equipment specifications must be submitted and reviewed by the utility to verify compliance with technical requirements and approved before an Incentive is considered.
- 3. The invoice or proof of payment has been submitted.
- 4. The Utility Representative & Customer have signed & dated the post installation inspection block in Section 6 on the first page of the form.