



# NEW EQUIPMENT 2026 Lighting Incentive



## APPLICATION INSTRUCTIONS

Fill out Steps 1-3 and submit to your utility provider. **Do not sign Steps 5-6 until instructed by your utility provider.**

### STEP 1 CUSTOMER INFORMATION

Select your electric utility company:  Eversource  Liberty  NH Electric Co-op  Unitil Date: \_\_\_\_\_

Electric Account #: \_\_\_\_\_ Natural Gas Account #: \_\_\_\_\_

Company Name: \_\_\_\_\_ Contact Person: \_\_\_\_\_

Phone Number: \_\_\_\_\_ Contact Email: \_\_\_\_\_

Installation Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Mailing Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

### STEP 2 CONTRACTOR INFORMATION (if self-installed leave blank)

Contractor Company (if applicable): \_\_\_\_\_ Contact Person: \_\_\_\_\_

Mailing Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Contact Phone: \_\_\_\_\_ Contact Email: \_\_\_\_\_

### STEP 3 PAYEE INFORMATION

Check Payable to:  Customer  Contractor  Other Payment To: \_\_\_\_\_

Mailing Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

LIBERTY CUSTOMERS ONLY – Signature (for payment to Contractor/Other): \_\_\_\_\_

### STEP 4 RETURN APPLICATION TO UTILITY REPRESENTATIVE

Send to your utility representative or email to your utility here:

Eversource: [efficiencynh@eversource.com](mailto:efficiencynh@eversource.com)

Liberty: [nhsaves@libertyutilities.com](mailto:nhsaves@libertyutilities.com)

New Hampshire Electric Co-op: [solutions@nhec.com](mailto:solutions@nhec.com)

Unitil: [efficiency@unitil.com](mailto:efficiency@unitil.com)

### STEP 5 PRE APPROVAL OFFER (PLEASE DO NOT SIGN UNTIL INSTRUCTED BY YOUR UTILITY PROVIDER)

**STOP** Once you have received Utility Pre-approval notification, sign below accepting incentive offer, payment arrangement, and Program Terms and Conditions.

Utility Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Amount Of Incentive: \_\_\_\_\_ Valid Through: \_\_\_\_\_

CUSTOMER SIGNATURE: \_\_\_\_\_ Date: \_\_\_\_\_

### STEP 6 PROJECT COMPLETION (PLEASE DO NOT SIGN UNTIL INSTRUCTED BY YOUR UTILITY PROVIDER)

**STOP** Sign below to indicate that project is completed. Send final signed application to Utility.

Final Incentive calculated based on 'as-installed' conditions.

Utility Signature: \_\_\_\_\_ Date: \_\_\_\_\_

CUSTOMER SIGNATURE: \_\_\_\_\_ Date: \_\_\_\_\_

Final Project Cost: \_\_\_\_\_ Final Incentive Amount: \_\_\_\_\_

Powered by:



## 2026 LIGHTING INCENTIVE CALCULATOR

Please submit COMcheck Report compliant with NH Energy Code, OR complete the following data tables:

Interior Lighting Fixture Details (Excluding Parking Garage)			
Building Type <sup>2</sup> (D)	LPD <sup>2</sup> (W/ft <sup>2</sup> ) (E)	Building Area (ft <sup>2</sup> ) (F)	Interior NH TRM Annual Lighting Hours <sup>2</sup> (G)
Example: Dormitory	0.34	5,403	3,056

Fixture ID or Location	Manufacturer	Model Number <sup>1</sup>	Total Fixture Qty (A)	Fixture Wattage <sup>1</sup> (B)	Total Design Watts (A x B)
Example: Admin Office	Lutron	XXYZ	25	38	950
<b>Total Interior Design Watts (C):</b>					

Total Interior Lighting Savings & Incentive (Excluding Parking Garage)					
Total Allowable Watts (E x F) (H)	Total Interior Design Watts (from table above) (C)	Total Watts Saved (H-C) (I)	Annual Electric Savings (kWh) (G x I)/1000 (J)	Incentive Level <sup>3</sup> (\$/kWh) (K)	Total Interior Light Incentive (\$) (J x K)
Example: 1,837	0	1,837	4,149	\$0.XX	\$746.88
<b>Total Interior Lighting Incentive:</b>					

<sup>1</sup> From manufacturer's cut sheet or Design Lighting Consortium Qualified Products List (<https://qpl.designlights.org>).  
<sup>2</sup> See Interior Lighting Building Types, Lighting Power Densities (LPD), and Annual Hours table on page 3 for reference.  
<sup>3</sup> Consult your utility's energy efficiency representative.

## 2026 LIGHTING INCENTIVE CALCULATOR

### Exterior Lighting Fixture Details (Including Parking Garage)

Customer Fixture ID	Manufacturer	Model Number <sup>1</sup>	Total Fixture Qty (L)	Fixture Wattage <sup>1</sup> (M)	Total Design Watts (L x M) = (N)
Example: Pole-EX-03	TCP	GPS8WA2LT8B1	10	5	50

Illuminated Area <sup>2</sup> (O)	Square/Linear Footage (P)	Zone 2 Allowable W/ft <sup>2</sup> (Q)	Total Allowable Watts (P x Q) (R)	Total Design Watts (from N above) (S)	Total Watts Saved <sup>3</sup> (R - S) + 600 (T)	Annual Hours (U)	Annual Electric Savings (kWh) (T x U) / 1000 (V)
Example: Walkways <10 ft wide	149	0.47	70	50	620	4,345	2,694
<b>Total Exterior Lighting Savings:</b>							

Incentive Level <sup>3</sup> (\$/kWh) (W)	Total Incentive (\$) (V x W)
Example: \$0.XX	\$484.90
<b>Total Exterior Lighting Incentive:</b>	

<sup>1</sup> From manufacturer's cut sheet or Design Lighting Consortium Qualified Products List (<https://qpl.designlights.org>).

<sup>2</sup> See Exterior Lighting Illuminated Area & Allowable Zone 2 W/sqft table on page 4 for reference.

<sup>3</sup> The 600W base allowance comes from IECC 2015 Table C405.5(2) for Zone 2. Add Base Site Zone Allowance only once per project/site.

**Interior Lighting Building Types, Lighting Power Densities (LPD) & Annual Hours**

Building Type (D)	Building Type LPD (W/ft <sup>2</sup> ) (E)	Annual Hours (G)	Building Type (D)	Building Type LPD (W/ft <sup>2</sup> ) (E)	Annual Hours (G)
Automotive Facility	0.48	4,939	Library	0.71	2,788
Convention Center	0.61	5,220	Motion Picture Theater	0.46	3,613
Courthouse	0.61	3,425	Multifamily	0.31	4,026
Daycare	0.52	2,590	Museum	0.61	2,788
Dining: Bar/Lounge/Leisure	0.61	3,613	Nursing Home	0.54	5,413
Dining: Cafeteria/Fast Food	0.54	5,018	Office — Medium/Large (> 20,000 ft <sup>2</sup> )	0.49	4,181
Dining: Family	0.57	4,316	Office — Small (< 20,000 ft <sup>2</sup> )	0.49	2,567
Dormitory	0.34	3,056	Parking Garage	0.13	6,552
Education: College/University	0.52	4,839	Penitentiary	0.49	5,413
Education: Community College	0.52	3,255	Performing Arts Theater	0.83	3,613
Education: K-12 School	0.52	2,788	Police Station	0.52	5,366
Exercise Center	0.50	5,468	Post Office	0.52	3,425
Fire Station	0.40	5,366	Religious Worship/Church	0.60	1,810
Grocery	0.76	5,468	Retail	0.76	4,939
Gymnasium	0.56	5,468	Sports Arena	0.55	5,468
Health/Medical — Clinic	0.54	3,673	Storage Facility	0.40	3,420
Hospital	0.63	5,413	Town Hall	0.53	3,425
Hotel/Motel/Lodging	0.52	4,026	Transportation	0.42	6,512
Industrial/Manufacturing — 1 Shift	0.70	2,857	Warehouse — Distribution Center	0.40	6,512
Industrial/Manufacturing — 2 Shifts	0.70	4,730	Warehouse — Inactive Storage	0.40	2,316
Industrial/Manufacturing — 3 Shifts	0.70	6,631	Workshop	0.71	2,567

**Exterior Lighting Illuminated Area & Allowable Zone 2 W/sqft**

Illuminated Areas (O)	Zone 2 Allowable W/ft <sup>2</sup> (Q)	Illuminated Areas (O)	Zone 2 Allowable W/ft <sup>2</sup> (Q)
<b>Uncovered Parking Areas</b>		<b>Outdoor Sales</b>	
Parking Area and drives	0.04 W/ft <sup>2</sup>	Open areas (including vehicle sales lots)	0.17 W/ft <sup>2</sup>
<b>Building Grounds</b>		Street frontage for vehicle sales lots in addition to "open area" allowance	6.70 W/linear foot
Walkways less than 10ft wide	0.47 W/linear foot	Building facades	.075 W/ft <sup>2</sup> of gross above-grade wall area
Walkways 10ft wide or greater, plaza areas, special feature areas	0.09 W/ft <sup>2</sup>	Automated teller machines and night depositories	270 W per location plus 90W per additional ATM per location
Stairways	0.67 w/ft <sup>2</sup>	Entrances and gatehouse inspection stations at guarded facilities	.75 W/ft <sup>2</sup> of covered and uncovered area
Pedestrian tunnels	0.10 W/ft <sup>2</sup>	Loading areas for law enforcement, fire, ambulance and other emergency service vehicles	0.5 W/ft <sup>2</sup> of covered and uncovered area
<b>Building Entrances and Exits</b>		Drive -up windows/doors	400W per drive-through
Main entries	13.40 W/linear foot of door width	Parking near 24-hour retail entrances	800W per main entry
Other doors	13.40 W/linear foot of door width	<b>Sales Canopies</b>	
Entry canopies	0.17 W/ft <sup>2</sup>	Free-standing and attached	0.40 W/ft <sup>2</sup>

# 2026 Lighting New Equipment

## *Instructions for completing the New Equipment LIGHTING Incentive Worksheet*

### General Notes:

1. This application is for new high efficiency lighting fixtures, systems and controls.
2. Cutsheets / specifications including photometric tables must be submitted and reviewed by the utility to verify compliance with technical requirements.
3. Proof of Purchase includes invoice(s) indicating the cost, type, manufacturer, model or part number, purchase date, and vendor of the efficient equipment are required for payment of incentives.
4. The incentive, in conjunction with all other sources of funding, cannot exceed the total project cost.
5. Project must be completed by the end of the calendar year shown on top of the application to be eligible for incentive. After that date the preapproval is void and the business will need to contact their Utility Representative to reapply for incentive pending funding availability.

### Eligibility Requirements:

1. The incentive offer is not valid unless signed and dated by the Utility Representative. The Customer accepts the Utilities incentive offer and agrees to the Terms and Conditions of the Utility by signing in the pre-approval offer block.
2. Projects need to be pre-approved prior to installation to be eligible for incentives.
3. Project is NOT eligible for incentives on this application if equipment has been purchased and participated in the NHSaves midstream instant incentive program or received an incentive through any other NHSaves program.

### LED Specific Documentation Requirements:

LED fixtures and lamps must be listed on ENERGY STARS's (ES), Designlights Consortium (DLC) or the utilities' websites. For more information see the DLC's listing <http://www.designlights.org> or ENERGY STAR's website: Fixtures: <http://www.energystar.gov/productfinder/product/certified-light-fixtures/results>